



## TECHNICAL DATA SHEET

**Product Name: PATROL DRY MOLY LUBRICANT**

**Product Number: MARC 167**

**Product Description: Patrol is a superior, long lasting, extreme condition, dry film lubricant and anti-seize coating. It withstands high temperatures and extreme pressures, while providing a dry film lube especially suited for use in dirty or dusty atmospheres. Patrol burnishes into metal to provide long-term lubrication and protection. It is inert to water, oil, alkalis and acids.**

**FOR USE ON:**

- Oil and Ore Drills • Engines • Motors • Bearings • Gears • Turbines
- Compressors • Pump Assemblies • Boilers • Conveyors
- Gear and Chains • Construction Equipment

**FOR USE BY:**

- Refineries • Shipyards • Foundries • Industrial Plants • Factories
- Construction Companies • Steel Mills • Chemical Plants
- Mining Operations • Automotive Operations

**FEATURES:**

- Adheres to Metals, Rubber, Glass, and Most Plastics
- Inert to Water, Oil, Alkalis and Many Acids
- Resists Temperatures from -40°F to +600°F
- Resists High Pressures
- Non-Corrosive, Non-Conductive and Waterproof
- Anti-Seize & Anti-Friction
- Excellent Lubricating Properties
- Does Not Attract Dust or Dirt
- Film has a Low Coefficient of Friction

Weight Per Gallon:	10.8 pounds
Specific Gravity:	1.29
Flash Point (of concentrate):	None
Appearance:	Dark gray viscous liquid
Odor:	Mild Solvent
Soluble In Water:	Negligible
Storage Stability:	Excellent

R1222

MID-AMERICAN RESEARCH CHEMICAL CORP.

P. O. Box 927 • Columbus, NE 68602-0927 • Phone 402-564-7104 • Fax 402-563-1290 • Email: [marc1@marc1.com](mailto:marc1@marc1.com) • [www.marc1.com](http://www.marc1.com)