

Cleans, disinfects and deodorizes for a microscopic clean.

Quickly eliminates rust, lime, and uric acid deposits. Will not harm bacteria action of septic tanks. When used as directed, product demonstrates effective disinfection against *Staphylococcus aureus, Staphylococcus aureus-Methicillin Resistant (MRSA), Enterococcus faecalis-Vancomycin Resistant (VRE), Salmonella enterica and HIV-1. Efficacy tests have demonstrated it to be an effective one-step toilet bowl cleaner/disinfectant in the presence of organic soil (5% blood serum). For use in commercial and industrial buildings, schools, manufacturing plants, public restrooms, hotels and motels. For use inside toilet bowls and urinals. Use of this toilet bowl cleaner on other than vitreous ware is done at user's risk.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **General Cleaning:** Open cap. Squeeze gently, directing bowl cleaner under rim and on sides of bowl, inside only. Brush clean and flush toilet. Close cap. Rinse brush with clean water. Do not use on any other surfaces including toilet seat, toilet lid, countertops, tubs and sinks. To clean other acid resistant surfaces, dilute product with 3 parts water. Do not allow solution to remain on surfaces without immediately rinsing thoroughly with water.

To Disinfect Toilet Bowls or Urinals: Remove water from bowl or urinal. Squeeze gently 1 oz. of bowl cleaner onto bowl brush. Clean entire unit, especially under rim at water outlets. Allow to remain 10 minutes. Flush and rinse out bowl brush with clean water. A preliminary cleaning is required for the removal of heavy soil prior to disinfection.

EFFECTIVE AGAINST HIV-1 (AIDS VIRUS): Product was evaluated and found to be an effective virucide in the presence of 5% serum against the virus HIV-1 (Human Immunodeficiency Virus 1, commonly referred to as AIDS VIRUS) on inanimate surfaces.

KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surface/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Disposable latex gloves, gowns, masks, and splash resistant goggles must be worn when handling items soiled with blood or body fluids.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. See disinfection directions above.

CONTACT TIME: Leave surface wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if swallowed. Do not breathe vapor or fumes. Do not get in eyes, on skin or on clothing. Wear protective eyewear (safety goggles or face shield), protective clothing and rubber gloves when handling. Use with adequate ventilation. Wash



HANG TIME

JELLED DISINFECTANT BOWL CLEANER

ANTIBACTERIAL, ANTI-MICROBIAL

KILLS THE FOLLOWING GERMS* - STAPHYLOCOCCUS AUREUS (STAPH), STAPHYLOCOCCUS AUREUS-METHICILLIN RESISTANT (MRSA), ENTEROCOCCUS FAECALIS-VANCOMYCIN RESISTANT AND SALMONELLA ENTERICA (SALMONELLA)

ACTIVE INGREDIENTS

Hydrogen chloride.....	9.50%
n-Alkyl (C ₁₄ 60%, C ₁₆ 30%, C ₁₂ 5%, C ₁₈ 5%) dimethyl benzyl ammonium chlorides.....	0.05%
n-Alkyl (C ₁₂ 68%, C ₁₄ 32%) dimethyl ethylbenzyl ammonium chlorides.....	0.05%
OTHER INGREDIENTS	90.40%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

See first aid statement and additional precautions on the reverse side.

Net Contents: One Quart (32 Fl. Oz.) 946 ml

Sold By

M-50-D

MID-AMERICAN RESEARCH CHEMICAL CORP.

P.O. BOX 927 COLUMBUS, NE 68602

thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse. **CHEMICAL HAZARDS: Never use with chlorine products.** Can react to give chlorine gas. If this occurs, flush toilet to remove chemicals and leave area. Do not return for half an hour. Ventilate if possible. Never use or mix with other cleaners or chemicals. Clean up any spills or drips immediately. Do not use on any surface that can be damaged by acidic materials. Many surfaces are not resistant to acid. Do not use on PVD finished surfaces.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth to an unconscious person. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center (NPIC) @ 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific time. (NPIC website: www.npic.orst.edu). **Note to physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in an area inaccessible to children and persons unfamiliar with its use. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray, or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or if allowed by state and local authorities, burn. If burned, stay out of smoke.

EPA REG. NO. 8155-6-12204

EPA EST. 8155-OH-1

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY



This container is coded for Recycling

R05-13
092611-01