

- ★ **ODORLESS**
- ★ **READY-TO-USE**
- ★ **STABLE**

**Precautionary Statements  
Hazards to Humans and Domestic Animals**

**DANGER**

Causes irreversible eye damage. Harmful if swallowed or absorbed through the skin. Do not get in eyes, skin or clothing. Wear protective eyewear (goggles, face shield, or safety glasses), long sleeved shirt, long pants, shoes, socks, and chemical resistant gloves. Wash thoroughly with soap and water after handling. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

**USER SAFETY RECOMMENDATIONS**

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing. Wash the outside of gloves before removing.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic invertebrates and may contaminate water through runoff. This product has a potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. For terrestrial uses, do not apply directly to water except as specified on labeling, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-waters or rinsate.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Do not store on side. Avoid creasing or impacting side walls. Store in original container in areas inaccessible to children or persons unfamiliar with its use.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.



**Designed for:**

- **Municipalities**
- **Institutions**
- **Industry**
- **Home Use**

**Active Ingredient:**

**Copper Sulfate Pentahydrate\* ..... 19.8%**  
CAS #7758-99-8

**Inert Ingredients ..... 80.2%**

**Total ..... 100.0%**

\*Metallic copper equivalent..... 5.04%

EPA Reg. No. ....12204-1

EPA Est. No. ....12204-NE-1

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**Have the product container or label with you when calling poison control center or doctor, or going for treatment advice. For emergency information on this product, call the National Pesticides Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven days a week. During other times, call the Poison Control Center at 1-800-222-1222.**

Read additional precautions on side panel.

Manufactured by **M-70-F**

**MID-AMERICAN RESEARCH CHEMICAL CORP.**  
P.O. BOX 927 • COLUMBUS, NE 68602-0927

- ★ **CONCENTRATED**
- ★ **TIME SAVING**
- ★ **ECONOMICAL**

**Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact adults, children or pets, either directly or through drift.

To control root growth in sewer pipes, use **Foaming Drain Line Root Control** as follows:

**COMMERCIAL, INDUSTRIAL AND MUNICIPAL SANITARY SEWERS:**

During periods of low flow, use one gallon of **Foaming Drain Line Root Control** each 6 to 12 month period at each junction or terminal ahead of where there may be a root problem. To be effective, the sewer must be opened sufficiently to permit some water flow. This can be attained by mechanical or chemical means.

**STORM SEWERS:**

Use one gallon of **Foaming Drain Line Root Control** each 300 to 400 feet per year. Make application during period of light flow. In dry weather, introduce a flow with a hose. If storm drains become almost plugged, repeat treatment three to four times at two-week intervals.

**HOUSEHOLD SEWERS:**

Use **Foaming Drain Line Root Control** twice yearly at the rate of one quart to each 75 to 100 feet of sewer. Apply in toilet nearest sewer line at night or during periods of low flow. Flush toilet after each quart of application. If sewer is completely blocked, use mechanical or chemical methods to obtain some flow. Follow with repeat treatments until free flow is restored. Then resume semi-annual preventative treatments.

Do not make more than two applications per calendar year. Do not use more than 1 gallon (4 quarts) of product in the same sewer line individual application. Not permitted in the State of Connecticut and California counties.

**NOTE:** Do not apply in sink or tub drains.

Net Contents \_\_\_\_\_