



TECHNICAL DATA SHEET

Product Name: ANTI-SEIZE - COPPER

Product Number: MARC 168

Features: MARC Anti-Seize – Copper is a lubricant and coating formulated to withstand high temperatures and extreme pressures. It is imbedded with copper and moly prevent seizing, galling and premature wear. It improves conductivity better than ordinary lubricants. It seals out moisture, gases and corrosive fluids from threaded connections. It is non-melting, non-gumming and non-hardening. MARC Anti-Seize – Copper contains rust and corrosion inhibitor, is water repellent and may be used as a protective coating in corrosive environments. It does NOT contain Methylene Chloride.

Applications: For use on any type of metal such as threaded fittings, bolts, spark plugs, valves, gaskets, flanges, bushings, bearings, rollers, conveyors, gears, transmission boxes, chains and drives, electric motors, compressors, hoists, turbines and winches, furnaces, burner assemblies, regulators, pumps, valve stems, cylinder heads, manifold and stud assemblies, fuel injectors, torque rods, air cylinder assemblies, pneumatic cylinder shafts, air slides and axle shafts.

Markets: Automotive, diesel fleet, industrial, municipal, institutions, marine, outboard motors, construction, farms.

Specifications:

Appearance: Copper-Colored Aerosol Spray

Specific Gravity: 0.88

Weight per Gallon: 7.34

Temperature Range: -60°F to 1,800°F

Adhesion: Excellent

VOC Status: 50 State VOC Compliant

Solubility in Water: Nil

Flammability: Extremely Flammable Aerosol

R0322

MID-AMERICAN RESEARCH CHEMICAL CORP.

P. O. Box 927 • Columbus, NE 68602-0927 • Phone 402-564-7104 • Fax 402-563-1290 • Email: marc1@marc1.com • www.marc1.com