



# TFE LUBE

## All Purpose Dry Lubricant & Release Agent

**Advanced Technology Powdered PTFE**

**Ultra Dry Colloidal Suspension**

**Resists Water Wash-Out**

**Non-Ozone Depleting - Non-Greasy**

**No Silicone - No Chlorinated Solvents - No Hexane**

**DANGER: EXTREMELY FLAMMABLE AEROSOL. PRESSURIZED CONTAINER MAY BURST IF HEATED. MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. CAREFULLY READ PRECAUTIONS ON REAR PANEL.**

**NET WT 11 OZ (311 g)**

**M-173**

SOLD BY:

**MID-AMERICAN RESEARCH CHEMICAL CORP.  
P.O. BOX 927 COLUMBUS, NE 68602-0927  
800-228-8508**

## ALL PURPOSE DRY LUBRICANT & RELEASE AGENT

A chemically inert, non-oily, fast-drying lubricant and release agent made with an extremely fine Polytetrafluoroethylene powder.

Features outstanding microscopic film-forming properties and resists temperatures up to 500°F.

A low odor, non-staining coating that is more slippery than silicone, graphite or oil. Excellent for reducing low speed friction.

The dry film is not affected by most chemicals. When used as a release agent, unlike silicone products, this product easily separates the molded part and allows ease of clean up for post-decorating without adversely affecting the painting of the surface.

### DIRECTIONS:

Shake can vigorously for one minute after mixing ball begins to rattle. Spray in a light even coat allowing the lubricant to dry to a white powder. Apply a heavier film or additional applications if more lubricity is desired. For extended usage, reapply periodically. For hard to reach areas or more controlled spray, insert extension tube provided.

Contains [CAS#]: Heptane [142-82-5], Propane [74-98-6], Butane [106-97-8] Isobutane [75-28-5].

### PRECAUTIONARY STATEMENT:

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. In case of fire: Use water fog, dry chemical or carbon dioxide to extinguish. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing, and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Keep cool. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Read Safety Data Sheet before using.  
KEEP OUT OF REACH OF CHILDREN!**

R12-19

