



STRIPING PAINT

WHITE

- One-pass coverage
- Bright vivid stripes
- Water-based
- Lower flammability
- Non-clogging
- Long lasting
- Not water soluble

For

- Streets
- Parking Stalls
- Baseball Fields
- Crosswalks
- Football Fields
- Track Marking

DANGER EXTREMELY FLAMMABLE LIQUID AND VAPOR.
VAPORS MAY CAUSE FLASH FIRE.
CONTENTS UNDER PRESSURE. VAPOR HARMFUL

See other cautions on back panel.

NET WEIGHT 18.0 OUNCES (511 g)

M-180

MID-AMERICAN RESEARCH CHEMICAL CORP.
2470 14th Ave • Columbus, NE 68601
(800) 228-8508

NON-CLOGGING MARKS ON SOIL, GRASS, GRAVEL AND PAVEMENT

DIRECTIONS

1. For best results, use when can is between 50°F and 90°F (10°C and 32°C).
2. Shake can at least one minute after rattle is heard and occasionally during use.
3. Turn can upside down and place into holder of the Marking Machine. **MAKE SURE THAT SPRAYHEAD FITS PROPERLY INTO HOLE.** The long side of the sprayhead must be parallel to the axle. By adjusting the can platform up or down, stripes approximately 2 to 4 inches wide can be applied.
4. Squeeze trigger to activate spray. To avoid any possible "build-up" of paint when starting, it is suggested that the machine be in motion when passing over the starting point.
5. If clogging develops, take the can out of the marking machine. Remove sprayhead from can and clean orifice in sprayhead. With can and sprayhead pointed away from you, reinsert sprayhead with a gentle twisting motion.
6. To clear sprayhead for future use, turn can right side up and spray for 3 seconds. Completely empty cans may be recycled or disposed of with regular trash. Dispose of partially empty cans responsibly. **DO NOT incinerate or compact.**

Contains: VM&P Naphtha 64742-89-8, Propane 74-98-6, Titanium Dioxide 13463-67-7, N-Butane 106-97-8, Barium Sulfate 7727-43-7, Calcium Carbonate 1317-65-3, Mineral Spirits 64742-47-8, Xylene 1330-20-7. **OTHER INGREDIENTS:** "Contents Partially Unknown", Water 7732-18-5, V.T. Alkyd Resin 71243-64-6.

WARNING: This product contains a chemical known to the state of California to cause cancer.

Ground Marking Coatings Do Not Exceed 1.20 MIR



DANGER: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. Suspected of causing cancer.



Prevention: Pressurized container: do not pierce or burn, even after use. Use only with adequate ventilation. Do not breathe dust/vapors/spray mist. Avoid contact with eyes/skin/clothing. Wear protective gloves/clothing/eye protection. Keep away from heat/sparks/open flames/hot surfaces. Do not eat/drink/smoke when using this product. Do not spray on naked flame or other ignition sources.



Response: In case of fire, use extinguishing powder or water spray. Immediately contact a doctor or POISON CONTROL CENTER if you feel unwell. If medical attention is needed, have product label at hand. **IF IN EYES:** Rinse with water for several minutes. Remove contact lenses if present. If eye irritation persists seek medical attention. **IF SWALLOWED:** Rinse mouth with water. Do not induce vomiting. **IF INHALED:** Remove to fresh air and rest in a comfortable breathing position. **IF ON SKIN:** Wash thoroughly with water. Remove all contaminated clothing.



Storage: Store locked up. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F.

Disposal: Dispose of product in accordance with local/regional/national/international regulations.

Additional Precaution Statements: Vapors may ignite explosively and cause a flash fire. Prevent buildup of vapors by opening windows and doors to achieve cross ventilation. Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately inhaling the contents may be harmful or fatal. If you experience eye watering, headache, or dizziness or if air monitoring demonstrates vapor/mist levels are above applicable limits, wear a NIOSH approved respirator during and after application. Follow respirator manufacturer's directions for respirator use.

KEEP OUT OF REACH OF CHILDREN
Read Safety Data Sheet Before Use