

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Harmful if absorbed through skin. Wear chemical-resistant apron. Causes moderate eye irritation. Wear chemical-resistant eyewear. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

USER SAFETY INSTRUCTIONS:

Users must wash hands before, eating, drinking, chewing gum, using tobacco, or using the toilet. Users must remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users must remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and clams. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

This product is incompatible with oxidizing agents.



**COOLING TOWER
MICROBIOCIDES**

ACTIVE INGREDIENTS:

Poly[oxyethylene (dimethyliminio) ethylene (dimethyliminio) ethylene dichloride].....10.00%

INERT INGREDIENTS: 90.00%

TOTAL.....100.00%

This product contains 0.85 lbs. of active ingredient per gallon and weighs 8.49 lbs. per gallon.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautionary statements.

**EPA REG. NO. 10088-40-12204
EPA EST. 10088-WI-1**

NET CONTENTS: 1 5 Gallon(s)

SOLD BY:

M-220

**MID-AMERICAN RESEARCH CHEMICAL CORP.
PO BOX 927 • COLUMBUS, NE 68602-0927**

DIRECTIONS FOR USE
GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its label.

This product is used to control algae, bacteria and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algae growth, microbiological slime and other deposits.

An initial slug addition of 6.13 to 15.32 fluid ounces per 1000 gallons of water to provide a concentration of 48 to 120 parts per million based on the total weight of water in the system. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.53 to 15.32 fluid ounces per 1000 gallons of water (12 to 120 parts per million) must be employed every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions must be made in the sump of water cooling towers.

STORAGE AND DISPOSAL

Do Not Contaminate Water, Food, or Feed By Storage or Disposal.

Storage: Store in a dry place no lower in temperature than 50°F or higher than 120°F.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill container. Offer for recycling, if available. If not, puncture and dispose of in sanitary landfill or by incineration if allowed by state and local authorities. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times.