



TECHNICAL DATA SHEET

Product Name: Super Speed Buffing Pad

Product Number: MARC 821

Description: The **MARC 821 Super Speed Buffing Pad** is constructed of polyester fibers in a textured, nonwoven fabrication.

Properties:

<i>Property</i>	<i>Value</i>
Thickness	1 inch 26 mm
Weight	30 osy (ounces per square yard) 1,017 gsm (grams per square meter)
Fiber Type	Recycled Polyester
Binder System	Cross-linkable Water-Based
Binder Application	Spray
Abrasive Application	N/A
Abrasive	N/A
Color	Beige
Pack	5 per case



Use: This is a soft pad used to burnish/polish floor finishes to a high gloss. It is recommended for use on soft to medium finishes, and ideal for use on floor machines with speeds up to 3,000 rpm.

Construction: The **MARC 821 Super Speed Buffing Pad** is made of 100% recycled polyester and natural fibers with water based resins. This pad has been designed for use on both sides. Polyester fiber used in our pads comes from 100% post-consumer and industrial recycled waste product. It is formulated to biodegrade in a fraction of the time that it takes conventional floor pads once discarded into an active landfill. Water-based latex resins are used in the manufacturing process. No phenol-formaldehyde resins are used in the binding process. Shipping cartons contain at least 45% recycled material.

Directions for Use: Dust mop floors prior to burnishing. Use pad until finish gives high gloss. Dust mop floor again to remove dust from burnishing.

R1017

MID-AMERICAN RESEARCH CHEMICAL CORP.

P. O. BOX 927 • COLUMBUS, NE 68602-0927 • 402-564-7104 • FAX 402-563-1290 • www.marc1.com