



SAFETY DATA SHEET

Product: **MARC 126 CITRUS BLAST**

Form R04132

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NUMBER AND NAME: **MARC 126 CITRUS BLAST**

SDS DATE: 09/01/2022

SUPPLIER: Mid-American Research Chemical Corp. ADDRESS: P. O. Box 927 • Columbus, NE 68602-0927
PHONE: 402-564-7104 FAX: 402-563-1290
EMERGENCY PHONE: InfoTrac 1-800-535-5053
E-MAIL: marc1@marc1.com WEBSITE: www.marc1.com

RECOMMENDED USE: Cleaning and degreasing compound.

PREPARED BY: MARC

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION: Flammable aerosol category 1; Skin corrosion/irritation category 2; Sensitization-skin category 1; Aspiration Toxicity category 1. **SIGNAL WORD: DANGER. HAZARD AND PRECAUTIONARY STATEMENTS-- DANGER:** Extremely flammable aerosol. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. **FIRST AID:** IF IN EYES: Immediately call a POISON CENTER/doctor. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. IF SWALLOWED: Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF INHALED: Move victim to fresh air. **DISPOSAL:** Dispose of contents/container in accordance with local/regional/national/international regulations. Hazardous to the aquatic environment – acute and long-term.



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Specific percentages and ingredients may be claimed as a trade secret.

<u>INGREDIENT</u>	<u>CAS NO.</u>	<u>% by WT.</u>
d-Limonene	94266-47-4	60 – 80
Alcohol Ethoxylate	68439-46-3	1 – 2.5
Alcohols, C12-13, ethoxylated	66455-14-9	0.1 – 1
Propane	74-98-6	10 – 20
Butane	106-97-8	2.5 – 10
Undeceth-5	34398-01-1	1 – 2.5

SECTION 4: FIRST AID MEASURES

EYES: Rinse with water. Get medical attention if irritation develops and persists. **SKIN:** Remove contaminated clothing immediately and wash skin with soap and water. Remove contaminated clothing. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse. **INGESTION:** Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. **INHALATION:** Move to fresh air. Call a physician if symptoms develop or persist. **NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:** May cause dermatitis. Aspiration may cause pulmonary edema and pneumonitis. Rash and skin irritation may develop. May cause redness and pain. May cause an allergic skin reaction. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. General information. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Wash contaminated clothing before reuse.

SECTION 5: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Alcohol resistant foam, water fog, dry chemical powder or carbon dioxide (CO₂). Do not use water jet as an extinguisher, as this will spread the fire. **SPECIAL FIRE FIGHTING PROCEDURES:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use



SAFETY DATA SHEET

Product: **MARC 126 CITRUS BLAST**

Form R04132

unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes. **UNUSUAL FIRE AND EXPLOSION HAZARDS:** Contents under pressure. Pressurized container may explode when exposed to heat or flame. Extremely flammable aerosol. **HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of carbon.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PROTECTIVE EQUIPMENT: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. **METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP:** Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. **Small Spills:** Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. **OTHER PRECAUTIONS:** Level 3 Aerosol. **STORAGE:** Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENTS **EXPOSURE LIMITS:**
Propane & Butane ACGIH TWA & OSHA PEL TWA 1000 ppm

ENGINEERING CONTROLS: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. **VENTILATION:** Local exhaust. **RESPIRATORY PROTECTION:** If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. **EYE PROTECTION:** Face shield is recommended. Wear safety glasses with side shields (or goggles). **SKIN PROTECTION/PROTECTIVE GLOVES:** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. **OTHER PROTECTIVE CLOTHING OR EQUIPMENT--WORK HYGIENIC PRACTICES:** When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE-
PHYSICAL STATE: liquid, aerosol
COLOR: clear, colorless
ODOR: citrus
ODOR THRESHOLD: N/A
pH: N/A
MELTING/FREEZING POINT: N/A
BOILING POINT: 348.8°F (est.)
FLASH POINT/METHOD USED: -156°F - propellant (est.)
EVAPORATION RATE: N/A



SAFETY DATA SHEET

Product: **MARC 126 CITRUS BLAST**

Form R04132

FLAMMABILITY (solid, gas): N/A
FLAMMABILITY LIMITS: N/A
VAPOR PRESSURE (mmHg): 30 - 45 psig @70°F (est.)
VAPOR DENSITY (AIR = 1): N/A
SPECIFIC GRAVITY (H₂O = 1): 0.7583 g/cm³
SOLUBILITY IN WATER: Yes
VOC CONTENT: 90%

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: The product is stable and non-reactive under normal conditions of use, storage and transport. **STABILITY:** Yes. **CONDITIONS TO AVOID:** Avoid temperatures exceeding the flash point. Contact with incompatible materials. **INCOMPATIBILITY (MATERIAL TO AVOID):** Strong oxidizing agents. **HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** Oxides of carbon. **HAZARDOUS POLYMERIZATION:** No. **CONDITIONS TO AVOID (POLYMERIZATION):** NA.

SECTION 11: TOXICOLOGICAL INFORMATION

Alcohol Ethoxylate: LD50 oral, rat = 1400 mg/kg est.; LD50 dermal, rabbit = >5000 mg/kg; ATE CLP oral = 1400 mg/kg body weight.
Undeceth: LD50 oral, rat = >1400 mg/kg.

EYES: Causes serious eye damage. **SKIN:** Causes skin irritation. May cause an allergic skin reaction. **INGESTION:** Prolonged inhalation may be harmful. **INHALATION:** Prolonged inhalation may be harmful. **ACUTE HEALTH HAZARDS:** May be fatal if swallowed and enters airways. May cause an allergic skin reaction. **CHRONIC HEALTH HAZARDS:** Prolonged inhalation may be harmful. **MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Unknown. **CARCINOGENICITY:** N/A. **TOXICITY TO ANIMALS:** N/A.

SECTION 12: ECOLOGICAL INFORMATION

Undeceth: LC50 fish = <10 mg/l; LC50 Daphnia = <10 mg/l; ErC50 (algae) = 10 mg/l.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (for ground/non-bulk containers)

CONTAINER SIZES(S): Aerosol can
PROPER SHIPPING NAME: CLEANING COMPOUND
HAZARD CLASS: N/A
ID NUMBER: N/A
PACKING GROUP: N/A
LABEL STATEMENT: LTD QTY

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
TSCA (TOXIC SUBSTANCE CONTROL ACT): All components are on the U.S. EPA TSCA Inventory List.
CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): N/A.
SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): N/A.
311/312 HAZARD CATEGORIES: N/A. **313 REPORTABLE INGREDIENTS:** N/A.

SECTION 16: OTHER INFORMATION

HMIS/NFPA Ratings: Health = 2; Flammability = 4; Reactivity = 0; Other = none; Protection = X.
N/A = Not Applicable, **N/D** = Not Determined, **N/E** = Not Established.

DISCLAIMER: While the information contained herein is believed to be correct, no warranties are made with respect thereto, and all liability from reliance thereon is disclaimed.