



# SAFETY DATA SHEET

Product: MARC 167 PATROL DRY-MOLY LUBRICANT

Form R04132

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NUMBER AND NAME: **MARC 167 PATROL DRY-MOLY LUBRICANT**

SDS DATE: 09/24/2019

SUPPLIER: Mid-American Research Chemical Corp.

ADDRESS: P. O. Box 927 Columbus, NE 68602-0927

PHONE: 402-564-7104 FAX: 402-563-1290

EMERGENCY PHONE: InfoTrac 1-800-535-5053

E-MAIL: marc@marc1.com WEBSITE: www.marc1.com

**RECOMMENDED USE:** Lubricant. This product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

PREPARED BY: MARC

## SECTION 2: HAZARDS IDENTIFICATION

**CLASSIFICATION:** Physical hazards - Flammable aerosols Category 1. Health hazards - Carcinogenicity - Category 1B. Reproductive toxicity - Category 2. Environmental Hazards – Acute hazards to the aquatic environment – Category 3.



**Signal word:** Danger. **Hazard statement:** Extremely flammable aerosol. May cause cancer. Suspected of damaging fertility or the unborn child. Harmful to aquatic life. **Precautionary statements:** **Prevention** - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid release to the environment. **Response** - If exposed or concerned: Get medical attention/advice. **Storage** - Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. **Disposal** - Dispose of contents/container in accordance with local/regional/national/international regulations.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>CHEMICAL NAME</u>	<u>CAS NO.</u>	<u>%*</u>
Methylene Chloride	75-09-2	50 - <100
Butane	106-97-8	10- <20
Propane	74-98-6	5- <10
Methyl Benzene	108-88-3	5- <10
2-Propanol	67-63-0	1- <5
Molybdenum Sulfide	1317-33-5	1- <5
Methanol	67-56-1	0.1- <1
1,2-Ethanediol	107-21-1	0.1- <1

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. Exact percentage of composition has been withheld as a trade secret.

## SECTION 4: FIRST AID MEASURES

**EYE CONTACT:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if you are concerned, irritation develops and persists, or if you feel unwell.

**SKIN CONTACT:** Wash skin thoroughly with soap and water. Get medical attention if symptoms occur.

**INGESTION:** Call a Poison Center or doctor if you feel unwell. Rinse mouth. **INHALATION:** Move to fresh air.

**MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE & DELAYED:** No data.

**INDICATION OF IMMEDIATE MEDICAL ATTENTION & SPECIAL TREATMENT NEEDED:** No data.

## SECTION 5: FIRE FIGHTING MEASURES

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk. **Suitable (and unsuitable) extinguishing media - Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials. Use fire-extinguishing media appropriate for surrounding materials. **Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire. Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** Vapors may travel considerable distance to a source of ignition and flash back. **Special protective equipment and precautions for firefighters - Special fire-fighting procedures:** No data available. **Special protective equipment for fire-fighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.



# SAFETY DATA SHEET

Product: MARC 167 PATROL DRY-MOLY LUBRICANT

Form R04132

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:** Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

**Methods and material for containment and cleaning up:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

**Notification Procedures:** Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

## SECTION 7: HANDLING AND STORAGE

**Precautions for safe handling:** Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

**Conditions for safe storage, including any incompatibilities:** Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters-Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Methane, dichloro-	TWA	50 ppm	US. ACGIH Threshold Limit Values (2008)
	TWA	25 ppm	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006)
	OSHA_ACT	12.5 ppm	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006)
Butane	STEL	125 ppm	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006)
	REL	800 ppm 1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2018)
Benzene, methyl-	TWA	800 ppm 1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	150 ppm 560 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	REL	100 ppm 375 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	100 ppm 375 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceiling	300 ppm	US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)
	TWA	20 ppm	US. ACGIH Threshold Limit Values (2008)
	TWA	200 ppm	US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)
	MAX. CONC	500 ppm	US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)
	STEL	150 ppm 560 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
Propane	REL	1,000 ppm 1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm 1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm 1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
2-Propanol	REL	400 ppm 980 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	400 ppm	US. ACGIH Threshold Limit Values (2008)
	STEL	500 ppm 1,225 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)



# SAFETY DATA SHEET

Product: MARC 167 PATROL DRY-MOLY LUBRICANT

Form R04132

	PEL	400 ppm	980 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	400 ppm	980 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	500 ppm	1,225 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	200 ppm		US. ACGIH Threshold Limit Values (2008)
Molybdenum sulfide (MoS2) - Respirable fraction. - as Mo	TWA		3 mg/m3	US. ACGIH Threshold Limit Values (2009)
Molybdenum sulfide (MoS2) - Inhalable fraction. - as Mo	TWA		10 mg/m3	US. ACGIH Threshold Limit Values (2009)
Molybdenum sulfide (MoS2) - Total dust. - as Mo	PEL		15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA		10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Methanol	STEL	250 ppm	325 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	250 ppm		US. ACGIH Threshold Limit Values (2008)
	TWA	200 ppm	260 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	200 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	250 ppm	325 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	REL	200 ppm	260 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	200 ppm	260 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
1,2-Ethanediol	Ceiling	50 ppm	125 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
1,2-Ethanediol - Vapor fraction	TWA	25 ppm		US. ACGIH Threshold Limit Values (03 2017)
	STEL	50 ppm		US. ACGIH Threshold Limit Values (03 2017)
1,2-Ethanediol - Aerosol, inhalable.	STEL		10 mg/m3	US. ACGIH Threshold Limit Values (03 2017)

Benzene, 1,2,4-trimethyl-	TWA	25 ppm	125 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	REL	25 ppm	125 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	25 ppm		US. ACGIH Threshold Limit Values (2008)
Proprietary Benzene	TWA	20 ppm		US. ACGIH Threshold Limit Values
	REL	0.1 ppm		US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	1 ppm		US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceiling	25 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)
	STEL	1 ppm		US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	0.5 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	5 ppm		US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	1 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006)
	STEL	2.5 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	5 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006)
	OSHA_ACT	0.5 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006)
	TWA	10 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)
	MAX. CONC	50 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)



# SAFETY DATA SHEET

Product: MARC 167 PATROL DRY-MOLY LUBRICANT

Form R04132

## Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
Methane, dichloro- (dichloromethane: Sampling time: End of shift.)	0.3 mg/l (Urine)	ACGIH BEL (03 2013)
Benzene, methyl- (toluene: Sampling time: End of shift.)	0.03 mg/l (Urine)	ACGIH BEL (03 2013)
Benzene, methyl- (o-Cresol, with hydrolysis: Sampling time: End of shift.)	0.3 mg/g (Creatinine in urine)	ACGIH BEL (03 2013)
Benzene, methyl- (toluene: Sampling time: Prior to last shift of work week.)	0.02 mg/l (Blood)	ACGIH BEL (03 2013)
2-Propanol (acetone: Sampling time: End of shift at end of work week.)	40 mg/l (Urine)	ACGIH BEL (03 2013)
Methanol (methanol: Sampling time: End of shift.)	15 mg/l (Urine)	ACGIH BEL (03 2013)
Benzene (t,t-Muconic acid: Sampling time: End of shift.)	500 µg/g (Creatinine in urine)	ACGIH BEL (03 2013)
Benzene (S-Phenylmercapturic acid: Sampling time: End of shift.)	25 µg/g (Creatinine in urine)	ACGIH BEL (03 2013)

**Appropriate Engineering Controls:** No data available.

**Individual protection measures, such as personal protective equipment:** General information: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists, mechanical generation of dusts, drying of solids, etc.

**Eye/face protection:** Wear safety glasses with side shields (or goggles). **Skin Protection/Hand Protection:** No data available.

**Other:** Wear suitable protective clothing. **Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor. **Hygiene measures:** Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. When using do not smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### APPEARANCE:

<b>PHYSICAL STATE:</b>	Liquid.	
<b>FORM:</b>	Aerosol spray.	
<b>COLOR:</b>	Not available.	
<b>ODOR:</b>	Not available.	
<b>ODOR THRESHOLD:</b>	Not available.	
<b>pH:</b>	Not available.	
<b>MELTING/FREEZING POINT:</b>	Not available.	
<b>INITIAL BOILING POINT/RANGE:</b>	163°C estimated.	
<b>FLASH POINT/METHOD USED:</b>	104.4°C estimated	
<b>EVAPORATION RATE:</b>	Not available.	
<b>FLAMMABILITY (solid, gas):</b>	Not available	
<b>FLAMMABILITY LIMITS (%):</b>	<b>LOWER:</b> 16.6% (V) estimated.	<b>UPPER:</b> 9.8% (V) estimated.
<b>FLAMMABILITY EXPLOSIVE (%):</b>	<b>LOWER:</b> Not available	<b>UPPER:</b> Not available
<b>VAPOR PRESSURE (mmHg):</b>	461.58 psig @ 70°F estimated	
<b>VAPOR DENSITY (AIR = 1):</b>	Not available.	
<b>RELATIVE DENSITY:</b>	Not available.	
<b>SPECIFIC GRAVITY (H2O = 1):</b>	Not available.	
<b>SOLUBILITY IN WATER:</b>	Not available.	
<b>AUTO-IGNITION TEMPERATURE:</b>	Not available.	
<b>DECOMPOSITION TEMPERATURE:</b>	Not available.	
<b>VISCOSITY:</b>	Not available.	

## SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** No data available.

**Possibility of hazardous reactions:** No data available.

**Incompatible Materials:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

**Conditions to avoid:** Avoid heat or contamination.

**Hazardous Decomposition Products:** No data available.

## SECTION 11: TOXICOLOGICAL INFORMATION

### INFORMATION ON LIKELY ROUTES OF EXPOSURE--

**Inhalation:** No data available. **Skin Contact:** No data available. **Eye contact:** No data available. **Ingestion:** No data available.

### Symptoms related to the physical, chemical and toxicological characteristics--

**Inhalation:** No data available. **Skin Contact:** No data available. **Eye contact:** No data available. **Ingestion:** No data available.



# SAFETY DATA SHEET

Product: MARC 167 PATROL DRY-MOLY LUBRICANT

Form R04132

## Information on toxicological effects--

### Acute toxicity (list all possible routes of exposure)-

**Oral- Product:** Not classified for acute toxicity based on available data. **Dermal-Product:** ATEmix: 27,881.71 mg/kg

**Inhalation-Product:** ATEmix: 41.36 mg/l.

**Repeated dose toxicity-Product:** No data available.

**Skin Corrosion/Irritation-Product:** No data available.

**Serious Eye Damage/Eye Irritation-Product:** No data available.

### INFORMATION ON TOXICOLOGICAL EFFECTS: Acute toxicity (list all possible routes of exposure)

**Oral-Product:** Not classified for acute toxicity based on available data.

**Dermal-Product:** ATEmix: 27,881.71 mg/kg

**Inhalation-Product:** ATEmix: 41.36 mg/l

**Repeated dose toxicity-Product:** No data available.

**Skin Corrosion/Irritation-Product:** No data available.

**Serious Eye Damage/Eye Irritation-Product:** No data available.

**Respiratory or Skin Sensitization-Product:** No data available.

**Carcinogenicity-Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:** Methane, dichloro- Overall evaluation: 2A. Probably carcinogenic to humans.

**US. National Toxicology Program (NTP) Report on Carcinogens:** Methane, dichloro- Reasonably Anticipated to be a Human Carcinogen.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):** No carcinogenic components identified

**Germ Cell Mutagenicity-In vitro- Product:** No data available.

**In vivo- Product:** No data available.

**Reproductive toxicity- Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure- Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure- Product:** No data available.

**Aspiration Hazard- Product:** No data available.

**Other effects:** No data available.

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity--

**Acute hazards to the aquatic environment-Fish-Product:** No data available. **Aquatic Invertebrates-Product:** No data available.

**Chronic hazards to the aquatic environment-Fish-Product:** No data available. **Aquatic Invertebrates-Product:** No data available.

**Toxicity to Aquatic Plants-Product:** No data available.

### Persistence and Degradability--

**Biodegradation-Product:** No data available. **BOD/COD Ratio-Product:** No data available.

### Bioaccumulative potential--

**Bioconcentration Factor (BCF)-Product:** No data available. **Partition Coefficient n-octanol / water (log Kow)-Product:** No data available.

**Mobility in soil:** No data available.

### Known or predicted distribution to environmental compartments:

Methane, dichloro-No data available.

Butane-No data available.

Benzene, methyl-No data available.

Propane-No data available.

2-Propanol-No data available.

Molybdenum sulfide (MoS<sub>2</sub>)-No data available.

Methanol-No data available.

1,2-Ethandiol-No data available.

**Other adverse effects:** No data available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local laws.

**Contaminated Packaging:** No data available.

## SECTION 14: TRANSPORT INFORMATION

### U.S. DEPARTMENT OF TRANSPORTATION (for ground/non-bulk containers)

<b>CONTAINER SIZES(S):</b>	Aerosol Can
<b>PROPER SHIPPING NAME:</b>	LUBRICATING OIL, GREASE OR PETROLEUM.
<b>HAZARD CLASS:</b>	N/A
<b>ID NUMBER:</b>	None
<b>PACKING GROUP:</b>	None



# SAFETY DATA SHEET

Product: MARC 167 PATROL DRY-MOLY LUBRICANT

Form R04132

LABEL STATEMENT:

LTD QTY

## SECTION 15: REGULATORY INFORMATION

### US Federal Regulations--

**Restrictions on use:** This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

<u>Chemical Identity</u>	<u>OSHA hazard(s)</u>
Benzene	respiratory tract irritation Central nervous system Blood Skin Flammability Cancer Aspiration Eye

### CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Methane, dichloro-	lbs. 1000
Butane	lbs. 100
Benzene, methyl-	lbs. 1000
Propane	lbs. 100
2-Propanol	lbs. 100
Methanol	lbs. 5000
1,2-Ethanediol	lbs. 5000
Benzene	lbs. 10

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

- Fire Hazard
- Delayed (Chronic) Health Hazard Flammable aerosol
- Carcinogenicity
- Toxic to reproduction

### SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

### SARA 304 Emergency Release Notification

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Methane, dichloro-	lbs. 1000
Butane	lbs. 100
Benzene, methyl-	lbs. 1000
Propane	lbs. 100
2-Propanol	lbs. 100
Methanol	lbs. 5000
1,2-Ethanediol	lbs. 5000
Benzene	lbs. 10

### SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Methane, dichloro-	10000 lbs
Butane	10000 lbs
Benzene, methyl-	10000 lbs
Propane	10000 lbs
2-Propanol	10000 lbs
Molybdenum sulfide (MoS2)	10000 lbs
Methanol	10000 lbs
1,2-Ethanediol	10000 lbs



# SAFETY DATA SHEET

Product: MARC 167 PATROL DRY-MOLY LUBRICANT

Form R04132

Benzene, 1,2,4-trimethyl-	10000 lbs.
Proprietary	10000 lbs
Phosphoric acid,	
tris(methylphenyl) ester	10000 lbs
Benzene	10000 lbs

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act

### Section 311 Hazardous Substances (40 CFR 117.3)

#### US State Regulations

##### US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Methane, dichloro-	Carcinogenic. 05 2011
Benzene, methyl-	Developmental toxin. 03 2008
Methanol	Developmental toxin. 03 2012
1,2-Ethanediol	Developmental toxin. 06 2015
Benzene	Developmental toxin. 03 2008
Benzene	Carcinogenic. 05 2011
Benzene	Male reproductive toxin. 03 2008

#### US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity, Methane,  
dichloro- Butane  
Benzene, methyl- Propane  
2-Propanol

US. Massachusetts RTK - Substance List: Chemical Identity-Methane, dichloro-

#### US. Pennsylvania RTK - Hazardous Substances

Chemical Identity  
Methane, dichloro- Butane  
Benzene, methyl- Propane  
2-Propanol

#### US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

## SECTION 16: OTHER INFORMATION

HMIS/NFPA Ratings: Health = 2, Flammability = 1, Reactivity = 1, Other = -, Protection = G

REVISION DATE: 09/24/2019

N/A = Not Applicable, N/D = Not Determined, N/E = Not Established

DISCLAIMER: While the information contained herein is believed to be correct, no warranties are made with respect thereto, and all liability from reliance thereon is disclaimed.