

## Product: MARC 172 PIÑA COLADA ROOM DEODORIZER - METERED

Form R04132

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NUMBER AND NAME: MARC 172 PIÑA COLADA ROOM DEODORIZER - METERED

**SDS DATE:** 10/28/2019

SUPPLIER: Mid-American Research Chemical Corp. ADDRESS: P. O. Box 927 Columbus, NE 68602-0927

**PHONE**: 402-564-7104 **FAX**: 402-563-1290 **EMERGENCY PHONE**: InfoTrac 1-800-535-5053

E-MAIL: marc1@marc1.com WEBSITE: www.marc1.com

RECOMMENDED USE: Room deodorizer.

PREPARED BY: MARC

### **SECTION 2: HAZARDS IDENTIFICATION**

**CLASSIFICATION:** Specific Target Organ Toxicity -Single Exposure (Narcotic Effects) - Category 3. Eye Irritation - Category 2A. Aerosol - Category 1.

SIGNAL WORD: Danger. Hazardous Statements - Physical: H222, H229 - Extremely flammable aerosol,
Pressurized container may burst if heated Hazardous Statements - Health: H319 - Causes serious eye irritation.
H336 - May cause drowsiness or dizziness. Precautionary Statements - General: P101 - If medical advice is
peeded, have product container or label at hand, P102 - Keep out of reach of children, P103 - Read label before use

needed, have product container or label at hand. P102 - Keep out of reach of children. P103 - Read label before use. **Precautionary Statements - Prevention:** P264 - Wash thoroughly after handling. P280 - Wear eye protection/face protection. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. **Precautionary Statements - Response:** P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice/attention. P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. **Precautionary Statements - Storage:** P403 + P405 - Store in a well-ventilated place. **Store locked up.** P410 - Protect from sunlight. P412 - Do not expose to temperatures exceeding 50°C/122°F. **Precautionary Statements - Disposes o**f contents and container in accordance with all local. regional. national and international regulations.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

 INGREDIENT
 CAS NO.
 PERCENT

 Acetone
 67-64-1
 46% - 81%

 Propane
 74-98-6
 19% - 34%

 Specific percentages may be claimed as a trade secret.
 19% - 34%

### **SECTION 4: FIRST AID MEASURES**

**EYES:** Rinse cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 15-20 minutes. Take care not to rinse contaminated water into the

unaffected eye or onto the face. If eye irritation persists, get medical advice or attention immediately.

**SKIN:** Immediately take off all contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Gently blot or brush away excess product. Wash skin with plenty of lukewarm, gently flowing water for a duration of 15-20 minutes. Call a POISON CONTROL

CENTER/doctor if irritation develops and persists or if you feel unwell.

INGESTION: If swallowed, rinse mouth. DO NOT INDUCE VOMITING! Immediately call a POISON CENTER/doctor. If vomiting

occurs naturally, lie on your side, in the recovery position.

Never give anything by mouth to an unconscious or convulsing victim. Keep person warm and quiet.

INHALATION: Remove source of exposure or move person to fresh air and keep comfortable for breathing. If exposed/feel

unwell/concerned: call a POISON CENTER/doctor

ACUTE HEALTH HAZARDS: EYES: Overexposure will cause redness and burning sensation. Causes serious eye irritation.

**SKIN:** Overexposure will cause defatting of skin.

**INHALATION:** Effect of overexposure includes irritation of respiratory tract, headache, dizziness, nausea, and loss of coordination. Extreme overexposure may result in unconsciousness and

possibly death.

**INGESTION:** Aspiration hazard if swallowed.



## Product: MARC 172 PIÑA COLADA **ROOM DEODORIZER - METERED**

Form R04132

**CHRONIC HEALTH HAZARDS: N/A** 

NOTES TO PHYSICIAN: N/A

### **SECTION 5: FIRE FIGHTING MEASURES**

Use water, fog, dry chemical, or carbon dioxide. **EXTINGUISHING MEDIA:** 

Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces. Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam.

UNSUITABLE EXTINGUISHING MEDIA: Water may be ineffective but can be used to cool containers exposed to heat or flame.

SPECIAL FIRE FIGHTING PROCEDURES/

**EQUIPMENT:** 

Wear protective pressure self-contained breathing apparatus (SCBA) and full turnout gear. Care should always be exercised in dust/mist areas. Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done safely. Move undamaged containers from immediate hazard area if it can be done safely. Water spray may be useful in minimizing or dispersing vapors and to protect personnel. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Contents under pressure. Keep away from ignition sources and open flame. Exposure of containers to extreme heat and flames can cause them to rupture often with violent force. Aerosol cans may rupture when heated. Heated cans may burst.

HAZARDOUS DECOMPOSITION PRODUCTS: In fire, will decompose to carbon dioxide, carbon monoxide.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

**EMERGENCY PROCEDURES:** Flammable/combustible material.

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stay upwind; keep out of low areas. Immediately turn off or isolate any source of ignition. Keep unnecessary people away; isolate hazard area and deny entry. Do not touch or walk through spilled material. Clean up immediately. Use absorbent sweeping compound to soak up material and put into suitable container for proper disposal.

### **PERSONAL PRECAUTIONS/**

PROTECTIVE EQUIPMENT: Use personal protection recommended in Section 8. Positive pressure, full-face piece self-contained breathing apparatus (SCBA), or positive pressure supplied air respirator with escape SCBA (NIOSH approved). Avoid breathing vapor. Avoid contact with skin, eye or clothing. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. (See Section 8 EXPOSURE CONTROLS, PERSONAL PROTECTION.)

METHODS AND MATERIALS FOR CONTAINMENT: Same as Emergency Procedures & Environmental Precautions.

ENVIRONMENTAL PRECAUTIONS: Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers.

### **SECTION 7: HANDLING AND STORAGE**

### **GENERAL HANDLING/** STORAGE:

Do not get into eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices. Keep container(s) tightly closed and properly labeled. Store in cool, dry, well-ventilated areas away from heat, direct sunlight and incompatibilities. Store in approved containers and protect against physical damage. Keep containers securely sealed when not n use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty container retain residue and may be dangerous.

Do not cut, drill, grind, weld, or perform similar operations on or near containers. Do not pressurize containers to empty them. Ground all structures transfer containers and equipment to conform to the national electrical code. Use procedures that prevent static electrical sparks. Static electricity may accumulate and create a fire hazard. Store at temperatures below 120°F.

KEEP OUT OF REACH OF CHILDREN!! FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY. **OTHER PRECAUTIONS:** 

FOR USE BY TRAINED PERSONNEL ONLY. CAREFULLY READ ENTIRE LABEL BEFORE USE!



## Product: MARC 172 PIÑA COLADA ROOM DEODORIZER - METERED

Form R04132

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

APPROPRIATE ENGINEERING CONTROLS/

**VENTILATION:** 

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

MECHANICAL: N/A

**RESPIRATORY PROTECTION:** If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 and ANSI Z88.2 should be followed. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapors.

**EYE PROTECTION:** Chemical goggles, safety glasses with side shields or vented/splash proof goggles. Contact lenses may absorb irritants. Particles may adhere to lenses and cause corneal damage.

**SKIN PROTECTION/PROTECTIVE GLOVES:** Wear suitable gloves. Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Avoid unnecessary skin contact.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** Wear long sleeved shirt, long pants, and other protective clothing as required to minimize skin contact. Chemical-resistant clothing is recommended to avoid prolonged contact. Eyewash stations and showers should be available in areas where this material is used and stored.

**WORK HYGIENIC PRACTICES:** Handle according to established industrial hygiene and safety practices. Don't eat, drink or smoke in work area. Wash hands after handling and before eating, drinking or smoking.

| Chemical<br>Name | OSHA<br>TWA<br>(ppm) | OSHA<br>TWA<br>(mg/m3) | OSHA<br>STEL<br>(ppm) | OSHA<br>STEL<br>(mg/m3) | OSHA<br>Tables<br>Z 1,2,3 | OSHA<br>Carcinogen | OSHA<br>Skin<br>designation | NIOSH<br>TWA<br>(ppm) | NIOSH<br>TWA<br>(mg/m3) | NIOSH<br>STEL<br>(ppm) | NIOSH<br>STEL<br>(mg/m3) | NIOSH<br>Carcinogen |
|------------------|----------------------|------------------------|-----------------------|-------------------------|---------------------------|--------------------|-----------------------------|-----------------------|-------------------------|------------------------|--------------------------|---------------------|
| ACETONE          | 1000                 | 2400                   |                       |                         | 1                         |                    |                             | 250                   | 590                     |                        |                          |                     |
| PROPANE          | 1000                 | 1800                   |                       |                         | 1                         |                    |                             | 1000                  | 1800                    |                        |                          |                     |

| Chemical<br>Name | ACGIH<br>TWA<br>(ppm)                  | ACGIH<br>TWA<br>(mg/m3) | ACGIH<br>STEL<br>(ppm) | ACGIH<br>STEL<br>(mg/m3) |
|------------------|--|-------------------------|------------------------|--------------------------|
| ACETONE          | 500                                    | 1188                    | 750                    | 1782                     |
| PROPANE          | See Appendix F: Minimal Oxygen Content |                         |                        |                          |

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

DENSITY: 5.66323 lb/gal
DENSITY VOC: 1.62818 lb/gal
%VOC: 28.75000%
VOC Actual: 1.62818 lb/gal
VOC Actual: 195.10460 g/l
VOC Regular: 1.62818 lb/gal
VOC Regular: 195.10460 g/l

APPEARANCE-

COLOR: Clear, Dry.
PHYSICAL STATE: N/A
ODOR THRESHOLD: N/A

ODOR: Piña Colada Fragrance

 pH:
 N/A

 SOLUBILITY IN WATER:
 Slightly.

 SPECIFIC GRAVITY: (H20 = 1)
 N/A

 MELTING/FREEZING POINT:
 N/A

 HIGH BOILING POINT:
 133°F

 LOW BOILING POINT:
 0°F



# Product: MARC 172 PIÑA COLADA

**ROOM DEODORIZER - METERED** 

Form R04132

FLASH POINT(METHOD USED:TCC) N/A

**FLAMMABILITY:** Flashpoint below 73°F

LOWER EXPLOSION LEVEL: 1.8 UPPER EXPLOSION LEVEL: 9.5

**EVAPORATION RATE:** Slower than ether.

VAPOR PRESSURE (mmHg): N/A

**VAPOR DENSITY:** Slower than ether.

PARTITION COEFFICIENT,

n-OCTANOL/WATER: N/A
AUTO-IGNITION TEMPERATURE: N/A
DECOMPOSITION TEMPERATURE: 0
VISCOSITY: N/A

#### SECTION 10: STABILITY AND REACTIVITY

### **CONDITIONS OF REACTIVITY:**

STABILITY: Stable.

**CONDITIONS TO AVOID:** High temperatures.

INCOMPATIBILITY (MATERIAL TO AVOID): None known.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: In fire, will decompose to carbon dioxide, carbon monoxide.

HAZARDOUS POLYMERIZATION/REACTIONS: Will not occur.

### SECTION 11: TOXICOLOGICAL INFORMATION

SERIOUS EYE DAMAGE/IRRITATION: Eye irritant. Overexposure will cause redness and burning sensation.

Causes serious eye irritation.

**SKIN CORROSION/IRRITATION:** Skin irritant. Overexposure will cause defatting of skin.

INGESTION: Aspiration hazard. May be fatal if swallowed.

INHALATION: Acute Toxicity. Effect of overexposure include irritation of respiratory tract, headache dizziness, nausea, and loss of

coordination. Extreme overexposure may result in unconsciousness and possibly death.

CARCINOGENICITY: No data available.

GERM CELL MUTAGENICITY: No data available.

REPRODUCTIVE TOXICITY: No data available.

SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE: May cause drowsiness or dizziness.

No data available.

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE: No data available.

ASPIRATION HAZARD: Aspiration hazard if swallowed.

0000067-64-1 ACETONE

**RESPIRATORY/SKIN SENSITIZATION:** 

LC50 (male rat): 30000 ppm (4-hour exposure): cited as 71000 mg/m3 (4-hour exposure) (29) LC50 (male mouse): 18600 ppm (4-hour exposure); cited as 44000 mg/m3 (4-hour exposure) (29)

LD50 (oral, female rat): 5800 mg/kg (24)

LD50 (oral, mature rat): 6700 mg/kg (cited as 8.5 mL/kg) (31) 1750 mg/kg (cited as 2.2 mL/kg) (31) LD50 (oral, mouse): 3000 mg/kg (32, unconfirmed)

LD50 (dermal, rabbit): Greater than 16000 mg/kg (cited as 20 mL/kg) (30)



## Product: MARC 172 PIÑA COLADA ROOM DEODORIZER - METERED

Form R04132

### POTENTIAL HEALTH EFFECTS - MISCELLANEOUS

0000067-64-1 ACETONE

The following medical conditions may be aggravated by exposure: lung disease, eye disorders, skin disorders. Overexposure may cause damage to any of the following organs/systems: blood, central nervous system, eyes, kidneys, liver, respiratory system, skin.

### **SECTION 12: ECOLOGICAL INFORMATION**

**TOXICITY:** No data available.

MOBILITY IN SOIL: No data available.

OTHER ADVERSE EFFECTS: No data available.

BIOACCUMULATIVE POTENTIAL: ACETONE CAS#67-64-1: Does not bioaccumulate.

PERSISTENCE AND DEGRADABILITY: ACETONE CAS#67-64-1: 91% readily biodegradable.

Method: OECD Test Guideline 301B.

### SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL INSTRUCTIONS: Under RCRA, it is the responsibility of the user of the product, to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state, and local laws.

Empty containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

### **SECTION 14: TRANSPORT INFORMATION**

CONTAINER SIZES(S): Aerosol Can (7.25 oz.)

PROPER SHIPPING NAME: DEODORANTS OR DISINFECTANTS

HAZARD CLASS: N/A
ID NUMBER: N/A
PACKING GROUP: N/A
LABEL STATEMENT: LTD QTY

### **SECTION 15: REGULATORY INFORMATION**

| CAS          | CHEMICAL NAME | % BY WEIGHT | REGULATION LIST                           |
|--------------|---------------|-------------|---|
| 0000067-64-1 | ACETONE       | 46%-81%     | CERCLA, SARA 312, TSCA, RCRA, ACGIH, OSHA |
| 0000074-98-6 | PROPANE       | 19%-34%     | SARA 312, TSCA, ACGIH, OSHA               |

### **FEDERAL REGULATIONS:**

TSCA (TOXIC SUBSTANCE CONTROL ACT): See above.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): See above.

SARA 311/312 HAZARD CATEGORIES: See above.

SARA 313 REPORTABLE INGREDIENTS: None.

STATE REGULATIONS: None

## Product: MARC 172 PIÑA COLADA ROOM DEODORIZER - METERED

Form R04132

### **SECTION 16: OTHER INFORMATION**

### Glossary:

• There are points of differences between OSHA GHS and UN GHS. In 90% of the categories, they can be used interchangeably, but for the Skin Corrosion/Irritant Category and the Specific Target Organ Toxicity (Single and Repeated Exposure) Categories. In these cases, our system will say UN GHS.

HMIS/NFPA Ratings: Health = 1

Flammability = 3
Reactivity = 0
Other = Protection = B

**REVISION DATE: 10/28/2019** 

**DISCLAIMER:** While the information contained herein is believed to be correct, no warranties are made with respect thereto, and all liability from reliance thereon is disclaimed.