



# SAFETY DATA SHEET

Product: MARC SPEED DEMON VANDALISM MARK REMOVER WIPES  
Form R04132

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NUMBER AND NAME: **MARC 282 SPEED DEMON VANDALISM MARK REMOVER WIPES**

SDS DATE: 08/18/2022

SUPPLIER: Mid-American Research Chemical Corp. ADDRESS: P. O. Box 927 • Columbus, NE 68602-0927

PHONE: 402-564-7104 FAX: 402-563-1290

EMERGENCY PHONE: InfoTrac 1-800-535-5053

E-MAIL: marc1@marc1.com WEBSITE: www.marc1.com

RECOMMENDED USE: Pre-moistened wipe for graffiti removal.

PREPARED BY: MARC

## SECTION 2: HAZARDS IDENTIFICATION

**CLASSIFICATION:** Eye Damage 1. **Signal word:** Danger. **Hazard statements:** Causes serious eye damage. **Precautionary statements:** Wear eye protection, protective clothing, protective gloves. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.



## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Name                              | Product identifier   | %       | GHS-US classification  |
|-----------------------------------|----------------------|---------|--|
| Ethyl Lactate<br>(Surfactant)     | (CAS-No.) 97-64-3    | 10 – 30 | Flam. Liq. 3,<br>H226 Eye Dam.<br>1, H318 STOT SE<br>3, H335 |
| Dimethyl Succinate<br>(Emollient) | (CAS-No.) 106-65-0   | 5 – 10  | Eye Irrit. 2A, H319  |
| Undeceth-5<br>(Surfactant)        | (CAS-No.) 34398-01-1 | 1 – 5   | Acute Tox. 4 (Oral), H302<br>Eye Dam. 1, H318                |

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## SECTION 4: FIRST AID MEASURES

First-aid measures general: If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation: If you feel unwell, seek medical advice. First-aid measures after skin contact: Gently wash with plenty of soap and water. First-aid measures after eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion: Rinse mouth with water. Do not induce vomiting. Symptoms/effects: Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/effects after inhalation: None under normal use. Symptoms/effects after skin contact: Contact during a long period may cause light irritation. Repeated exposure may cause skin dryness or cracking. Symptoms/effects after eye contact: Causes serious eye irritation. Symptoms/effects after ingestion: Gastrointestinal complaints. Chronic symptoms: No data available. Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

## SECTION 5: FIRE FIGHTING MEASURES

Suitable extinguishing media: Foam. Carbon dioxide. Dry chemical powder. Unsuitable extinguishing media: Do not use a heavy water stream. Fire hazard: Combustible liquid. Reactivity: Upon combustion: CO and CO<sub>2</sub> are formed. Firefighting instructions: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water. Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures--General measures: Isolate from fire, if possible, without unnecessary risk. For non-emergency personnel--Protective equipment: Protective goggles. Gloves. Protective clothing. Emergency procedures: Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Avoid contact with skin, eyes and clothing. Ventilate spillage area. For emergency responders--Protective equipment: Equip cleanup crew with proper protection. Emergency procedures: Stop leak if safe to do so. Stop release. Ventilate area. Environmental precautions--Avoid release to the environment.



# SAFETY DATA SHEET

Product: MARC SPEED DEMON VANDALISM MARK REMOVER WIPES  
Form R04132

Prevent entry to sewers and public waters. Methods and material for containment and cleaning up--For containment: Contain released product, collect/pump into suitable containers. Methods for cleaning up: This material and its container must be disposed of in a safe way, and as per local legislation.

## SECTION 7: HANDLING AND STORAGE

Precautions for safe handling: Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Keep away from sources of ignition - No smoking. Hygiene measures: Wash thoroughly after handling. Wash contaminated clothing before reuse. Conditions for safe storage, including any incompatibilities-- Technical measures: Comply with applicable regulations. Storage conditions: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Incompatible products: Oxidizing agent. Strong acids. Strong bases. Incompatible materials: Sources of ignition. Heat sources. Heat and ignition sources: KEEP SUBSTANCE AWAY FROM--heat sources, ignition sources. Information on mixed storage: KEEP SUBSTANCE AWAY FROM: (strong) acids. (strong) bases. oxidizing agents. Storage area: Meet the legal requirements. Store in a cool area. Store in a well-ventilated place. Special rules on packaging: meet the legal requirements.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Ethyl Lactate (97-64-3)**

Not applicable

**Dimethyl Succinate (106-65-0)**

Not applicable

**Undeceth-5 (34398-01-1)**

Not applicable

**Methanol (67-56-1)**

|       |                      |                                      |
|-------|----------------------|--------------------------------------|
| ACGIH | ACGIH OEL TWA [ppm]  | 200 ppm                              |
| ACGIH | ACGIH OEL STEL [ppm] | 250 ppm                              |
| ACGIH | Remark (ACGIH)       | Headache; eye dam; dizziness; nausea |
| OSHA  | OSHA PEL TWA [1]     | 260 mg/m <sup>3</sup>                |
| OSHA  | OSHA PEL TWA [2]     | 200 ppm                              |

Personal protective equipment: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Safety glasses. Gloves. Protective clothing.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

|  |  |
|--|--|
| <b>APPEARANCE-</b>                     | Pre-moistened wipe.  |
| <b>PHYSICAL STATE:</b>                 | Solid  |
| <b>ODOR:</b>                           | Mild odor.   |
| <b>ODOR THRESHOLD:</b>                 | No data available.   |
| <b>pH:</b>                             | No data available.   |
| <b>MELTING/FREEZING POINT:</b>         | No data available.   |
| <b>BOILING POINT:</b>                  | No data available.   |
| <b>FLASH POINT/METHOD USED:</b>        | 163°F Closed Cup - Tested using the liquid component of the towelette. |
| <b>RELATIVE EVAPORATION RATE:</b>      | No data available.   |
| <b>FLAMMABILITY (solid, gas):</b>      | No data available.   |
| <b>EXPLOSIVE LIMITS:</b>               | No data available.   |
| <b>EXPLOSIVE PROPERTIES:</b>           | No data available.   |
| <b>OXIDIZING PROPERTIES:</b>           | No data available.   |
| <b>VAPOR PRESSURE (mmHg):</b>          | No data available.   |
| <b>RELATIVE DENSITY:</b>               | No data available.   |
| <b>RELATIVE VAPOR DENSITY AT 20°C:</b> | No data available.   |
| <b>SPECIFIC GRAVITY/DENSITY:</b>       | 1.03 g/ml – Tested using the liquid component of the towelette.        |
| <b>SOLUBILITY:</b>                     | Liquid component is soluble in water.                                  |
| <b>LOG POW:</b>                        | No data available.   |
| <b>LOG KOW:</b>                        | No data available.   |
| <b>AUTO-IGNITION TEMPERATURE:</b>      | No data available.   |
| <b>DECOMPOSITION TEMPERATURE:</b>      | No data available.   |
| <b>VISCOSITY:</b>                      | No data available.   |
| <b>VOC CONTENT:</b>                    | <20% - Tested using the liquid component of the towelette.             |



# SAFETY DATA SHEET

Product: MARC SPEED DEMON VANDALISM MARK REMOVER WIPES  
Form R04132

## SECTION 10: STABILITY AND REACTIVITY

Reactivity: Upon combustion: CO and CO<sub>2</sub> are formed. Chemical Stability: No additional information available. Conditions to Avoid: No additional information available. Possibility of Hazardous Reactions: Refer to Section 10 on Reactivity (above). Incompatibility (Materials to Avoid): Strong acids. Strong bases. Oxidizing agents. Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous Polymerization: N/A. Conditions to Avoid: NA.

## SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity : Not classified

### Ethyl Lactate (97-64-3)

|                    |                               |
|--------------------|-------------------------------|
| LD50 oral rat      | 8200 mg/kg (Rat, Oral)        |
| LD50 dermal rabbit | > 5000 mg/kg (Rabbit, Dermal) |
| ATE CLP (oral)     | 8200 mg/kg bodyweight         |

### Dimethyl Succinate (106-65-0)

|                    |  |
|--------------------|--|
| LD50 oral rat      | 6892 mg/kg (Rat; Experimental value)   |
| LD50 dermal rat    | > 2000 mg/kg bodyweight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) |
| LD50 dermal rabbit | > 5000 mg/kg (Rabbit)  |
| ATE CLP (oral)     | 6892 mg/kg bodyweight  |

### Undeceth-5 (34398-01-1)

|               |              |
|---------------|--------------|
| LD50 oral rat | > 1400 mg/kg |
|---------------|--------------|

### Methanol (67-56-1)

|                      |                      |
|----------------------|----------------------|
| LD50 dermal rabbit   | 12800 mg/kg          |
| ATE CLP (oral)       | 100 mg/kg bodyweight |
| ATE CLP (dermal)     | 300 mg/kg bodyweight |
| ATE CLP (vapors)     | 128.2 mg/l/4h        |
| ATE CLP (dust, mist) | 0.5 mg/l/4h          |

|                                     |  |
|-------------------------------------|--|
| Skin corrosion/irritation           | : Not classified   |
| Serious eye damage/irritation       | : Causes serious eye damage.   |
| Respiratory or skin sensitization   | : Not classified   |
| Germ cell mutagenicity              | : Not classified   |
| Carcinogenicity                     | : Not classified   |
| Reproductive toxicity               | : Not classified.  |
| STOT-single exposure                | : Not classified   |
| STOT-repeated exposure              | : Not classified   |
| Aspiration hazard                   | : Not classified   |
| Symptoms/effects after inhalation   | : None under normal use.   |
| Symptoms/effects after skin contact | : Contact during a long period may cause light irritation. Repeated exposure may cause skin dryness or cracking. |
| Symptoms/effects after eye contact  | : Causes serious eye irritation.   |
| Symptoms/effects after ingestion    | : Gastrointestinal complaints.   |
| Chronic symptoms                    | : No data available.   |
| Likely routes of exposure           | : Dermal   |

## SECTION 12: ECOLOGICAL INFORMATION

### Toxicity

Ecology - general: Not classified due to lack of data.

|                               |   |
|-------------------------------|---|
| Ethyl Lactate (97-64-3)       |   |
| LC50 - Fish [1]               | 100 – 1000 mg/l (96 h, Pisces)  |
| Dimethyl Succinate (106-65-0) |   |
| LC50 - Fish [2]               | 50 – 100 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 48 h; Brachydanio rerio; Semi-static system; Fresh water; Experimental value) |



# SAFETY DATA SHEET

Product: MARC SPEED DEMON VANDALISM MARK REMOVER WIPES  
Form R04132

|                             |   |
|-----------------------------|---|
| EC50 - Crustacea [2]        | > 100 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)           |
| Threshold limit - Algae [1] | > 100 mg/l (ErC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value) |

Undeceth-5 (34398-01-1)

LC50 - Fish [1] < 10 mg/l

EC50 - Crustacea [1] < 10 mg/l

ErC50 algae < 10 mg/l

## Persistence and degradability

Persistence and degradability Not established.

Ethyl Lactate (97-64-3)

Persistence and degradability Readily biodegradable in water.

ThOD 1.35 g O<sub>2</sub>/g substance

Dimethyl Succinate (106-65-0)

Persistence and degradability Readily biodegradable in water. Inherently biodegradable. Highly mobile in soil.

## Bioaccumulative potential

Ethyl Lactate (97-64-3)

Partition coefficient n-octanol/water (Log Pow) -0.18 (Calculated)

Bioaccumulative potential Not bioaccumulative.

Dimethyl Succinate (106-65-0)

BCF - Fish [1] 3.16 (BCF; BCFBAF v3.00; Pisces)

Partition coefficient n-octanol/water (Log Pow) 0.33 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40 °C)

Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).

## SECTION 13: DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Do not flush wipes. Recommendations: Dispose in a safe manner in accordance with all regulations

## SECTION 14: TRANSPORT INFORMATION

**U.S. DEPARTMENT OF TRANSPORTATION (for ground/non-bulk containers)--CONTAINER SIZE(S):** SPECIAL.  
**PROPER SHIPPING NAME:** TOWELS OR CLEANING CLOTH; **HAZARD CLASS:** NONE; **ID NUMBER:** NONE; **PACKING GROUP:** NONE; **LABEL STATEMENT:** NONE.

## SECTION 15: REGULATORY INFORMATION

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR§372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

|            |              |   |
|------------|--------------|---|
| Undeceth-5 | (34398-01-1) | SARA Section 311/312 Hazard Classes Immediate (acute) health hazard |
|------------|--------------|---|

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

## SECTION 16: OTHER INFORMATION

**HMIS/NFPA Health Hazard:** 1-Exposure could cause irritation but only minor residual injury even if no treatment is given.

**HMIS/NFPA Fire Hazard:** 2-Must be moderately heated or exposed to relatively high temperature before ignition can occur.

**HMIS/NFPA Reactivity:** 0-Normally stable, even under fire exposure conditions, and are not reactive with water.

**DISCLAIMER:** This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such venders or users assume all risks associated with the use of this material.